See us on the WEB @
http://www.altekcompany.com
or email to
tech@altekcompany.com

CDLC0902

USED WITH:
POP/TEAR TESTERS, DETACH/NONDETACH TABS

9777 9783



9777



## PRODUCT OVERVIEW

These Change Parts are used with the 9223 series of Pop & Tear testers to hold a sample in place as the tab is being tested. The Change Parts are manufactured by Altek to specific customer requirements.

## 9777 DESCRIPTION

The 9777 Change Parts hold an unseamed end in place as it's detachable or non-detachable tab is being tested. The 9777 consists of an end holder into which the unseamed end slides

## 9783 DESCRIPTION

The 9783 Change Parts hold a seamed end (can) in place as it's detachable or non-detachable tab is being tested. The 9783 consists of a top plate and can holder assembly into which the can slides.

## **SPECIFICATIONS**

The following document describes the specifications for these Change Parts:

CDXC0901 - Change Parts Specifications

#### 9777 ORDERING

The 9777 is ordered by specifying 9777 and the end diameter. Example:

9777: 211 (end dia)

## 9783 ORDERING

The 9783 is ordered by specifying 9783 and the end diameter on the appropriate Customer Order Guide and supplying detail drawings and several samples to Altek. Drawings and can samples MUST be provided to ensure proper manufacture of the 9783 Change Parts.

## **TECHNICAL SUPPORT**

Altek provides comprehensive technical support to its customers worldwide. For assistance, contact Altek and ask for the Engineering department.

#### **REPAIR**

Altek customers can obtain a return authorization from Altek and ship a faulty unit in for repair, if necessary. In addition, replacement parts for all models are available from Altek.

### WARRANTY

All Altek products are built to the highest standards of quality and reliability. This Altek product is backed by a full 90-day warranty.

#### FURTHER INFORMATION

See the accompanying specifications for additional information concerning this product. If specifications were not included with this flier, please call Altek; they will be mailed or faxed as quickly as possible

#### CUSTOM DESIGN.

Altek can custom design inspection and test equipment to meet specific customer requirements. Custom Change Parts can also be designed and manufactured for most Altek products; contact Altek for further information.

### A NOTE ON SAMPLES

Samples sent to Altek as a requirement for the manufacture of Change Parts must be submitted in their "as tested" form. For instance, if an end will be tested unseamed on a piece of test equipment, Altek must receive ends that are unseamed in order to properly manufacture the Change Parts. Contact Altek for further information regarding sample requirements for Change Parts manufacture.

For more information, contact Altek between 8:00 am and 5:00 pm ET, Monday thru Friday. The Altek company address and phone numbers can be found on the front of this flier.

# ORDERING INFORMATION

To purchase this product:

This flier is supplemented by additional literature in the form of a specification sheet.

At least one of these Change Parts sets is required for operation of an Altek pop/tear tester.

Customer detail drawings and samples are REQUIRED in order to ensure proper manufacture and operation of these Change Parts.

These Change Parts are ordered by specifying the required information (as described above) on the appropriate Customer Order Guide.

# C09 SPECIFICATIONS

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE

CHANGE PARTS: ..... 9777, 9783

USED WITH MODELS: ..... 9223B, 9223BE2, 9223BER2

EFFECTIVE DATE: ..... APR 11, 1994

SAMPLE TYPE: ..... BEVERAGE AND FOOD/UTILITY ENDS WITH TABS

NOTE: A SEPARATE SET OF CHANGE PARTS MUST BE MANUFACTURED FOR EACH SPECIFIC DIAMETER OR CROSS-SECTION OF SAMPLE.

9777: For round, unseamed metal beverage ends

End Diameter ..... 200 - 211

(2" to 2 11/16")

9783: For round, seamed metal beverage ends

Can Neck Diameter .... 200 - 211

(2" to 2 11/16")