CHANGE PARTS

9845

CDLC1902

CAN GROWTH MEASUREMENT FIXTURE USED WITH: 9009F2 CAN BUCKLE TESTERS



9845

LATEST VERSION(S) MAY VARY SLIGHTLY FROM PHOTO(S)

PRODUCT OVERVIEW

These Change Parts are used with the 9009F2 Can Buckle Tester to obtain can growth measurements as the can is being pressurized. The Change Parts are manufactured by Altek to specific customer requirements.

9845 DESCRIPTION

The 9845 consists of a measurement fixture encompassed in a height tube. To obtain growth measurements, the 9845 is placed over the can and onto a plate that is parallel to the seating plane of the can. The gauge fixture is then seated properly to align itself to the can and a measurement sequence is initiated.

APPLICATION NOTES

The 9845 was designed so that the measurement fixture is interchangable with other height tubes for the same diameter can, thus allowing many different heights to be tested using only one fixture. The 9845 is ordered in conjunction with the 9009F2 tester to enable can growth measurement. Any 9009C_series Can Buckle Tester can be retro-fitted to accept the 9845 Can Growth Measurement Capability.

SPECIFICATIONS

The following document describes the specifications for these Change Parts:

CDXC19## - Change Parts Specifications

9845 ORDERING

The 9845 is ordered by completing and returning the appropriate Customer Order Guide and supplying several samples to Altek. Samples MUST be provided to ensure proper manufacture and operation of the 9845 Change Part in the unit.

TECHNICAL SUPPORT

Altek provides comprehensive technical support to its customers worldwide. For assistance, contact Altek and ask for the Engineering department.

REPAIR

Altek customers can obtain a return authorization from Altek and ship a faulty unit in for repair, if necessary. In addition, replacement parts for all models are available from Altek.

WARRANTY

All Altek products are built to the highest standards of quality and reliability. This Altek product is backed by a full 90-day warranty.

FURTHER INFORMATION

See the accompanying specifications for additional information concerning this product. If specifications were not included with this flier, please call Altek; they will be mailed or faxed as quickly as possible

CUSTOM DESIGN.

Altek can custom design inspection and test equipment to meet specific customer requirements. Custom Change Parts can also be designed and manufactured for most Altek products; contact Altek for further information.

A NOTE ON SAMPLES

Samples sent to Altek as a requirement for the manufacture of Change Parts must be submitted in their "as tested" form. For instance, if an end will be tested unseamed on a piece of test equipment, Altek must receive ends that are unseamed in order to properly manufacture the Change Parts. Contact Altek for further information regarding sample requirements for Change Parts manufacture.

For more information, contact Altek between 8:00 am and 5:00 pm ET, Monday thru Friday. The Altek company address and phone numbers can be found on the front of this flier.

ORDERING INFORMATION

To purchase this product:

This flier is supplemented by additional literature in the form of a specification sheet / order guide.

At least one of these Change Parts sets is required for operation of the 9009F2 buckle tester.

These Change Parts are ordered by specifying the required information (as described above) on the appropriate Specification Sheet / Order Guide.

\yC19 SPECIFICATIONS

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE

CHANGE PARTS: 9845

USED WITH MODELS: 9009F2

EFFECTIVE DATE: DEC 17, 1994

SAMPLE TYPE: BEVERAGE CANS

NOTE: A SEPARATE SET OF CHANGE PARTS MUST BE MANUFACTURED FOR

EACH SPECIFIC DIAMETER OF SAMPLE.

OPERATION: Sample Capacity 211 Body Dia.

(2 11/16")

OUTPUT: Digital Readout 2 5/16 dia indicator

.200 LCD

Units inches / millimeters

Battery Life 8,000 hrs. continuous

Auxilliary Output RS-232 serial